

L Number	Hits	Search Text	DB	Time stamp
-	54	remote adj network adj monitoring	USPAT; US-PGPUB	2003/09/05 13:42
-	751	713/1.ccls. and @ad<19991118	USPAT; US-PGPUB	2003/09/15 13:34
-	3	713/1.ccls. and @ad<19991118 and network adj monitor\$4	USPAT; US-PGPUB	2003/09/05 12:55
-	387	713/1.ccls. and @ad<19991118 and network	USPAT; US-PGPUB	2003/09/08 13:52
-	289	network adj security and monitor\$5 same (center station)	USPAT; US-PGPUB	2003/09/05 13:06
-	154	(network adj security and monitor\$5 same (center station)) and @ad<19991118	USPAT; US-PGPUB	2003/09/05 13:07
-	246	remote adj monitoring with network and security	USPAT; US-PGPUB	2003/09/05 13:42
-	75	(remote adj monitoring with network and security) and @ad<19991118	USPAT; US-PGPUB	2003/09/05 13:46
-	3063	@ad<19991118 and firewall	USPAT; US-PGPUB	2003/09/12 06:55
-	101	(@ad<19991118 and firewall) and central with monitor\$5	USPAT; US-PGPUB	2003/09/05 13:53
-	1	5991881.pn.	USPAT; US-PGPUB	2003/09/05 14:51
-	1	"5872912".PN.	USPAT	2003/09/05 14:22
-	1	"5568471".PN.	USPAT	2003/09/05 14:22
-	1	"5557742".PN.	USPAT	2003/09/05 14:23
-	1	"5483658".PN.	USPAT	2003/09/05 14:24
-	1	"5440688".PN.	USPAT	2003/09/05 14:24
-	217	network adj operations adj center and @ad<19991118	USPAT; US-PGPUB	2003/09/05 14:52
-	5	(network adj operations adj center and @ad<19991118) and firewall	USPAT; US-PGPUB	2003/09/05 14:53
-	94	(network adj operations adj center and @ad<19991118) and security	USPAT; US-PGPUB	2003/09/05 14:54
-	2335	ISS	USPAT; US-PGPUB	2003/09/11 10:34
-	31	ISS and computer adj security	USPAT; US-PGPUB	2003/09/11 10:02
-	39	(@ad<19991118 and remote adj configur\$5) and computer with security	USPAT; US-PGPUB	2003/09/05 15:17
-	0	713/1.ccls. and @ad<19991118 and network with security	USPAT; US-PGPUB	2003/09/11 10:03
-	21	updating with security with policy	USPAT; US-PGPUB	2003/09/09 08:34
-	15	713/1.ccls. and @ad<19991118 and network adj address	USPAT; US-PGPUB	2003/09/05 15:28
-	208	@ad<19991118 and remote adj configur\$5	USPAT; US-PGPUB	2003/09/08 08:34
-	90	@ad<19991118 and remote adj configur\$5 and priority	USPAT; US-PGPUB	2003/09/08 08:34
-	59	@ad<19991118 and remote adj update and priority	USPAT; US-PGPUB	2003/09/08 08:35
-	26	@ad<19991118 and remote adj update and priority and security	USPAT; US-PGPUB	2003/09/08 08:36
-	691	@ad<19991118 and update with security	USPAT; US-PGPUB	2003/09/08 08:37
-	419	(@ad<19991118 and update with security) and remote	USPAT; US-PGPUB	2003/09/08 08:36
-	113	((@ad<19991118 and update with security) and remote) and priority	USPAT; US-PGPUB	2003/09/08 08:37
-	2945346	@ad<19991118	USPAT; US-PGPUB	2003/09/08 08:47
-	21	@ad<19991118 and update with firewall	USPAT; US-PGPUB	2003/09/08 08:49
-	1	5,606,668.pn.	USPAT; US-PGPUB	2003/09/08 08:49

-	38	713/1.ccls. and @ad<19991118 and (network IP internet) adj address	USPAT;	2003/09/08
-	15	713/1.ccls. and @ad<19991118 and network adj address	US-PGPUB	14:10
-	19	713/100.ccls. and @ad<19991118 and network adj address	USPAT;	2003/09/08
-	131	713/1\$.ccls. and @ad<19991118 and wake	US-PGPUB	13:54
-	18	@ad<19991118 and wake same update and (network IP internet) adj address	USPAT;	2003/09/08
-	1	5321840.pn.	US-PGPUB	15:39
-	1	6012088.pn.	USPAT;	2003/09/08
-	1	"5852722".PN.	US-PGPUB	15:45
-	1	"5826000".PN.	USPAT;	2003/09/08
-	1	"5784555".PN.	US-PGPUB	16:24
-	1	"5745699".PN.	USPAT;	2003/09/08
-	1	"5734831".PN.	US-PGPUB	16:24
-	1	"5724510".PN.	USPAT	2003/09/08
-	1	"5708780".PN.	USPAT	16:24
-	1	"5694546".PN.	USPAT	2003/09/08
-	1	"5673322".PN.	USPAT	16:29
-	1	"5446897".PN.	USPAT	2003/09/08
-	1	"5150464".PN.	USPAT	16:29
-	1	"5872912".PN.	USPAT	2003/09/08
-	1	"5621889".PN.	USPAT	16:30
-	5279	(send transmit) with network with address	USPAT	2003/09/08
-	1233	(send transmit) with network adj address	US-PGPUB	16:31
-	23	((send transmit) adj network adj address) and update) and security	USPAT;	2003/09/08
-	56	((send transmit) adj network adj address) and update	US-PGPUB	08:35
-	96	(send transmit) adj network adj address	USPAT;	2003/09/09
-	85	@ad<19991118 and firewall same update	US-PGPUB	08:35
-	15	713/1.ccls. and @ad<19991118 and network adj address	USPAT;	2003/09/09
-	34	713/1.ccls. and @ad<19991118 and (network IP) adj address	US-PGPUB	08:37
-	38	713/1.ccls. and @ad<19991118 and (network IP internet) adj address	USPAT;	2003/09/09
-	2	"0793170"	US-PGPUB;	08:54
-	14	"793170"	EPO; JPO;	2003/09/09
			DERWENT;	09:42
			IBM_TDB	2003/09/09
			USPAT;	09:42
			US-PGPUB;	2003/09/09
			EPO; JPO;	09:57
			DERWENT;	
			IBM_TDB	
			USPAT;	2003/09/09
			US-PGPUB;	09:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
			USPAT;	2003/09/09
			US-PGPUB;	09:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	69	713/201.ccls. and adaptive	USPAT;	2003/09/09
-	41	713/201.ccls. and adaptive and firewall	US-PGPUB	10:47
-	43	713/1.ccls. and @ad<19991118 and success	USPAT;	2003/09/09
-	430	713/1.ccls. and @ad<19991118 and complete	US-PGPUB	10:47
-	43	713/1.ccls. and @ad<19991118 and complete with signal	USPAT;	2003/09/11
-	38	713/1.ccls. and @ad<19991118 and update same (success complete)	US-PGPUB	07:04
-	6	713/1.ccls. and @ad<19991118 and update same success	USPAT;	2003/09/11
-	3933	configuration same complete same signal	US-PGPUB	07:09
-	2945744	@ad<19991118	USPAT;	2003/09/12
-	3019	(configuration same complete same signal) and @ad<19991118	US-PGPUB	10:38
-	3	((configuration same complete same signal) and @ad<19991118) and remote adj configuration	USPAT;	2003/09/11
-	3	((configuration same complete same signal) and @ad<19991118) and remote adj configur\$6	US-PGPUB	07:14
-	1290	((configuration same complete same signal) and @ad<19991118) and network	USPAT;	2003/09/11
-	42	((configuration same complete same signal) and @ad<19991118) and network with security	US-PGPUB	07:14
-	3	ISS and computer adj security and billing	USPAT;	2003/09/11
-	19	713/1.ccls. and @ad<19991118 and billing	US-PGPUB	07:14
-	1	configuration same billing same time same activation adj code and @ad<19991118	USPAT;	2003/09/11
-	21	configuration same billing same time same code and @ad<19991118	US-PGPUB	11:45
-	928	ISS and network	USPAT;	2003/09/15
-	212	ISS and network and security	US-PGPUB	10:03
-	2183	ISS and time	USPAT;	2003/09/11
-	2945744	@ad<19991118	US-PGPUB	10:10
-	1638	(ISS and time) and @ad<19991118	USPAT;	2003/09/11
-	711	713/1.ccls. and @ad<19991118 and time	US-PGPUB	10:11
-	30	713/1.ccls. and @ad<19991118 and transmit with time	USPAT;	2003/09/11
-	408	(billing charge bill) with time with activation and @ad<19991118	US-PGPUB	10:34
-	182	(billing charge bill) with time with activation and @ad<19991118 and configur\$6	USPAT;	2003/09/11
-	45	(billing charge bill) with time with activation and @ad<19991118 and configur\$6 and network	US-PGPUB	10:35
-	1357	remote with configuration and transmit with time	USPAT;	2003/09/11
-	1357	(remote with configuration) and (transmit with time)	US-PGPUB	11:45
-	866	remote with configuration and transmit with time and @ad<19991118	USPAT;	2003/09/11
-	144	remote with configuration and transmit with time and @ad<19991118 and billing	US-PGPUB	11:56
-	75	713/\$.ccls. and transmit with time and @ad<19991118 and billing	USPAT;	2003/09/15
-			US-PGPUB	11:30
				2003/09/12
				08:20

-	1	"6275941".PN.	USPAT	2003/09/11 16:38
-	4	@ad<19991118 and billing with server with client same configuration	USPAT; US-PGPUB	2003/09/12 06:57
-	7	@ad<19991118 and (bill\$4 pric\$4) with server with client same configuration	USPAT; US-PGPUB	2003/09/12 06:57
-	1	"5619716".PN.	USPAT	2003/09/12 06:58
-	1	"5491800".PN.	USPAT	2003/09/12 06:59
-	4	activate with software with code same configuration	USPAT; US-PGPUB	2003/09/12 07:00
-	23	activat\$4 with software with code same configuration	USPAT; US-PGPUB	2003/09/12 07:12
-	2073	payment with system and server with client	USPAT; US-PGPUB	2003/09/12 07:12
-	996	(payment with system and server with client) and billing	USPAT; US-PGPUB	2003/09/12 07:12
-	10	((payment with system and server with client) and billing) and activation adj code	USPAT; US-PGPUB	2003/09/12 07:12
-	82	remote adj configuration and billing	USPAT; US-PGPUB	2003/09/12 08:27
-	77	server same client and configuration with billing and @ad<19991118	USPAT; US-PGPUB	2003/09/12 08:28
-	19	713/1.ccls. and @ad<19991118 and billing	USPAT; US-PGPUB	2003/09/12 09:17
-	5	713/1.ccls. and @ad<19991118 and pricing	USPAT; US-PGPUB	2003/09/12 10:23
-	30	remote adj configuration and @ad<19991118 and pricing	USPAT; US-PGPUB	2003/09/12 10:23
-	79	713/1,2.ccls. and @ad<19991118 and complete with signal	USPAT; US-PGPUB	2003/09/12 10:38
-	259	configuration with billing and @ad<19991118	USPAT; US-PGPUB	2003/09/15 09:16
-	106	iss and billing	USPAT; US-PGPUB	2003/09/15 09:16
-	15	713/1.ccls. and @ad<19991118 and billing and server	USPAT; US-PGPUB	2003/09/15 10:06
-	585	transmit with billing with information	USPAT; US-PGPUB	2003/09/15 10:06
-	268	transmit with billing with information and configuration	USPAT; US-PGPUB	2003/09/15 10:12
-	139	transmit with billing with information and configuration and @ad<19991118	USPAT; US-PGPUB	2003/09/15 10:06
-	317	transmit with billing with information and @ad<19991118	USPAT; US-PGPUB	2003/09/15 11:36
-	113	transmit with billing with information and @ad<19991118 and server	USPAT; US-PGPUB	2003/09/15 11:33
-	32	billing and activation adj code and server and @ad<19991118	USPAT; US-PGPUB	2003/09/15 11:30
-	2	transmit with billing with information and @ad<19991118 and server and activation adj code	USPAT; US-PGPUB	2003/09/15 11:33
-	54	transmit with billing with information and @ad<19991118 and activation	USPAT; US-PGPUB	2003/09/15 11:36
-	620	network and (activation activate) with code and @ad<19991118 and transmit with time	USPAT; US-PGPUB	2003/09/15 11:50
-	275	network and (activation activate) with code with (transmit send) and @ad<19991118	USPAT; US-PGPUB	2003/09/15 11:51
-	132	network and (activation activate) with code with (transmit send) and @ad<19991118 and configuration	USPAT; US-PGPUB	2003/09/15 11:56
-	61	network and (activation activate) with code with (transmit send) and @ad<19991118 and billing	USPAT; US-PGPUB	2003/09/15 13:31
-	314	(activation activate) with code with (transmit send) and @ad<19991118 and remote	USPAT; US-PGPUB	2003/09/15 13:32

-	57	(activation activate) with code with (transmit send) and @ad<19991118 and server	USPAT; US-PGPUB	2003/09/15 13:32
-	1	713/1.ccls. and @ad<19991118 and activation adj code	USPAT; US-PGPUB	2003/09/15 13:34
-	1	713/1,2.ccls. and @ad<19991118 and activate adj client	USPAT; US-PGPUB	2003/09/15 14:34
-	2224	(send transmit) with (diagnostic temperature voltage) with (operate properly function\$5)	USPAT; US-PGPUB	2003/09/16 15:29
-	1668	(send transmit) with (diagnostic temperature voltage) with (operate properly function\$5) and @ad<19991118	USPAT; US-PGPUB	2003/09/16 15:29
-	5	((send transmit) with (diagnostic temperature voltage) with (operate properly function\$5) and @ad<19991118) and remote adj configur\$5	USPAT; US-PGPUB	2003/09/16 15:29